



Technological Strategies to Mitigate the Climate Change: Current Status and Future Trends



E Fuentes, SA Korili and A Gil*

Department of Sciences, Public University of Navarra, Spain

Received:  September 06, 2018; **Published:**  September 11, 2018

***Corresponding author:** A Gil, INAMAT-Department of Sciences, Los Acebos Building, Public University of Navarra, Campus of Arrosadia, E-31006 Pamplona, Spain, Email: andoni@unavarra.es

Abbreviations: WMO- World Meteorological Organization; GWP- Global Warming Potential; UV- Ultraviolet; NETs- Negative Emissions Technologies; BECCS- Bioenergy with Capture and Storage; EW- Enhanced Weathering; AR- Afforestation and Reforestation; DAC- Direct Capture of CO₂

Introduction

The debate and controversy started by Arrhenius and Chamberlin in 1896 [1], about how anthropogenic changes have produced, since industrial age, an increase in greenhouse gases such as carbon dioxide, methane, and nitrous oxide in the Earth's atmosphere; that consequently have produced a climate change; seems now closed. The CO₂, CH₄ and NO₂ concentration in the atmosphere in pre-industrial age were 278 ppm, 721 ppb, and 269 ppb. Nowadays these levels have increased dramatically in 143%, 253%, and 121%, respectively [2]. The World Meteorological Organization (WMO) estimates that just the CO₂ contributes with the 80% of the greenhouse gases problematic, because of its higher concentration than its global warming potential (GWP). The environmental efforts of countries focus on reducing emissions of these gases through the proposal and implementation of increasingly restrictive programs, in many cases by minimizing technology emissions. The aim of this work is to summarize the current state of these technologies.

The potential risk of climate change

As consequence of climate change, the global average temperature has increased 0.6°C, glacial and ice extent have diminished, the rise of 10-20cm in the sea level, heat waves, drought, flooding, more frequent and intense hurricanes, storms, and wildfire. Currently, many studies concluded significant relative risk of event's occurrence such as rise more than 3°C in temperature average, reduction in quantity and quality of water's sources, acceleration in biodiversity extinguish, ocean acidification, disruption and depletion of stratospheric ozone, damage in ecosystems, threat to food security, desertification, soil degradation, loss of agricultural productivity, and immersion, flooding and erosion in the coast by rise sea level [3]. Climate change is nowadays the biggest threat in all over the world and it will impact negatively in wellbeing in rich countries and slow down the development in poor countries. Of all

problems associated to climate change, the health issues attract citizen and political attention, and they have become in a pressure tool to achieve policies, actions, and systems to mitigate and adapt to the problem [3].

There are direct and indirect implications of climate change-related on health. Asthma, respiratory allergies and airway diseases may become more prevalent because of increased human exposure to pollen, molds, air pollution and dust. Cancer risk caused by extended human exposure to ultraviolet (UV) rays, chemicals, and toxins. Cardiovascular diseases and stroke, the existing pathologist may be exacerbated by increasing heat stress, body burden of airborne particles, and change of zoonotic vector that because infectious diseases associated with cardiovascular diseases. Foodborne diseases and malnutrition unleashed by staple food shortage and food contamination. Morbidity and mortality related to heat and water-related events such as hurricanes, floods, droughts, and wildfires. Effects in human developmental because of malnutrition and exposure to contaminants and biotoxins. Mental health and stress-related disorders caused by extreme events, population displacement, damage to property, the death of the loved ones, and chronic stress. Neurological diseases and disorders due to exposure to neurological hazards such as biotoxins, metals, chemicals, and pesticides. Vectorborne and zoonotic diseases increasing their risk due to shortening of pathogen incubation periods, and disruption and relocation of large human population. Waterborne diseases by the incidence of water contaminated with harmful pathogens and chemicals because of increases in water temperature, precipitations, evaporation-transpiration rates, and changes in coastal ecosystem health [4-6].

Mitigation and Adaptation to Climate Change

The Paris 2014 agreement establishes a global warming goal of 2°C on pre-industrial average and to pursue efforts to limit

increase to 1.5°C. It obligates all parties involved in climate change mitigation and adaptation. To achieve the goal, the world has to reduce greenhouse emissions, avoiding that CO₂ concentration in atmosphere reaches 550ppm [7], and to adopt negative emissions technologies (NETs) such as bioenergy with capture and storage (BECCS) [8], air direct capture of CO₂ from the environment (DAC) [9,10], enhanced weathering of minerals (EW) [11,12], afforestation and reforestation (AR) [13,14], acidification of oceans [15,16], carbon storage in soils [17,18], and conversion of biomass in recalcitrant biochar for use in soils [19]. The implementation of NETs could not be enough to mitigate the climate change because of the low potential to reduce CO₂ to high scale, the biophysical and economical recourse implications and the competence with social challenges such as food, water, and food security [20]. The CO₂ emissions to the atmosphere can be controlled to reduce the CO₂ levels that affect to global warming using adsorbents, such as zeolites, carbon derived materials, hydrotalcites, amine-functionalized mesoporous silicas and metal organic frameworks (MOFs) [21-25].

The CO₂ uptake capacities under several conditions have been evaluated as important aspects to select the suitable adsorbents. In the same way, the development of effective CO₂ low-cost adsorbents from waste precursors have been reported including by-products derived from coal, biomass, water treatment, eggshells and mussel shells, lime mud, fly ash, among others [25-30]. A more intensive action to mitigate climate change is to complement the NETs application with the development of CO₂ valorization technologies. There is a huge network of possibilities to produce value-added products from diluted and concentrated CO₂, through of mineralization, physical, biological, and chemical processes [7]. The supercritical CO₂ is considerate a green solvent with physicochemical properties that potentiate as a swelling agent [31,32], fluid in Rankine cycles [33], fracturing fluid [34], bioactive compounds in food and pharmaceutical industry [35,36], catalytic processes [37,38], and polymer industry [39,40].

The mineralization of CO₂ is a process of precipitation that produce stable compounds such as green concretes [41], cement [42], calcium carbonates [43], and use CO₂ as the precursor of concrete block and cement mortar with enhanced properties [44,45]. Chemical transformation of raw materials, CO₂ and biomass, into value-added and neutral-carbon products, such as urea [46], formaldehyde [47], carbonates [48], carbamates [49], polycarbonates y polycarbamates [50]; is a promissory way to create a carbon economic system. The most important valorization route is the catalytic reduction of CO₂ to organic fuel for transport. This process is compatible with the concept of sustainable organic fuel transport SOFT, focused on the attack the GHG emissions from transportation remain the current technology but development carbon-neutral liquid fuels through three key components such as H₂, CO₂, and catalysts [51,52]. The chemical transformation through catalytic routes with active, selective, and thermal and mechanical stable materials lead the production of methanol [53,54], dimethyl ether [55,56], synthesis gas [57,58], and fuels that could reduce current GHG emission in 82-86%, minimize pollutants such as SOx and NOx, and reduce fuel depletion in 82-91% [7].

Conclusion

Many studies alert about deep consequences in the environment, wellbeing, and health caused by climatic change. Actions to mitigate and adapt to this phenomenon are needed and were agreed into 160 countries in Paris in 2014. The main actions promoted are the application of NETs, however, seems improbable that just NETs could slow down the global warming. The complement of capture technologies attached to CO₂ valorization routes, specifically the production of fuel to transport could have synergetic positive effects in the environment. The implementation of CO₂ capture and valorization technologies lead the industrialization and economic development all around the world under sustainable principles and offer various options to reduce step by step the dependence of chemical and fuel from fossil sources.

Acknowledgement

The authors are grateful for financial support from the Spanish Ministry of Economy, Industry and Competitiveness (AEI/MINECO), the European Regional Development Fund (ERDF) and the Government of Navarra through projects MAT2016-78863-C2-1-R and PI017 CORRAL. EF and AG also thank Santander Bank for funding through the Research Intensification Program.

References

1. A Costello, M Abbas, A Allen, S Ball, S Bell, et al. (2009) Managing the health effects of climate change: Lancet and University College London Institute for Global Health Commission. *The Lancet* 373(9676): 1693-1733.
2. B C O Neill, M Oppenheimer, R Warren, S Hallegatte, RE Kopp, et al. (2017) The Bank's response to climate change. *Nature Climate Change* 7: 28-37.
3. A Rossati (2017) Global Warming and Its Health Impact. *The International Journal of Occupational and Environmental Medicine* 8(1): 963-967.
4. P Wayne, S Foster, J Connolly, F Bazzaz, P Epstein (2002) Production of allergenic pollen by ragweed (*Ambrosia artemisiifolia* L.) is increased in CO₂-enriched atmospheres. *Annals of Allergy, Asthma & Immunology* 88(3): 279-282.
5. CJ Portier, TK Thigpen, SR Carter, CH Dilworth, AE Grambsch, et al. (2010) A human health perspective on climate change: a report outlining the research needs on the human health effects of climate change.
6. M Wei, S Brandhorst, M Shelehchi, H Mirzaei, CW Cheng, et al. (2017) Fasting-mimicking diet and markers/risk factors for aging, diabetes, cancer, and cardiovascular disease. *Science Translational Medicine* 9(377): 1-12.
7. SY Pan, PC Chiang, W Pan, H Kim (2018) Advances in state-of-art valorization technologies for captured CO₂ toward sustainable carbon cycle. *Critical Reviews in Environmental Science and Technology* pp. 1-64.
8. M Fajardy, N Mac Dowell (2017) Can BECCS deliver sustainable and resource efficient negative emissions? *Energy & Environmental Science* 10(6): 1389-1426.
9. J Wilcox, PC Psarras, S Liguori (2017) Assessment of reasonable opportunities for direct air capture. *Environmental Research Letters* 12(6): 065001.
10. Y Ishimoto, M Sugiyama, E Kato, R Moriyama, K Tsuzuki, et al. (2017) Putting Costs of Direct Air Capture in Context. *FCEA Working Paper Series* (2): 1-21.

11. F Montserrat, P Renforth, J Hartmann, M Leermakers, P Knops, et al. (2017) Olivine Dissolution in Seawater: Implications for CO₂ Sequestration through Enhanced Weathering in Coastal Environments. *Environmental Science & Technology* 51: 3960-3972.
12. FJ Meysman, F Montserrat (2017) Negative CO₂ emissions via enhanced silicate weathering in coastal environments. *Biology Letters* 13: 20160905.
13. A Harper, T Powell, P Cox, J House, C Huntingford, et al. (2018) Land-use emissions play a critical role in land-based mitigation for Paris climate targets. *Nature Communications* p. 1-13.
14. Noumi N, L Zapfack, P Pelbara, Awe Djongmo V, Tabue Mbobda RB (2018) Afforestation/Reforestation Based on Gmelina Arborea (Verbenaceae) in Tropical Africa: Floristic and Structural Analysis, Carbon Storage and Economic Value (Cameroon). *Sustainability in Environment* 3(2): 161-176.
15. MD Eisaman, JL Rivest, SD Karnitz, CF de Lannoy, A Jose, et al., (2018) Carbon Dioxide Removal/Negative Emissions Technologies Bibliography. *International Journal of Greenhouse Gas Control* 70: 254-261.
16. CF De Lannoy, MD Eisaman, A Jose, SD Karnitz, RW De Vul, et al. (2018) Carbon Dioxide Removal/Negative Emissions Technologies Bibliography. *International Journal of Greenhouse Gas Control* 70: 243-253.
17. RJ Zomer, DA Bossio, R Sommer, LV Verchot (2017) Global Sequestration Potential of Increased Organic Carbon in Cropland Soils. *Scientific Reports* 7: 1-7.
18. A Bharali, KK Baruah, N Gogoi (2016) Methane emission from irrigated rice ecosystem: relationship with carbon fixation, partitioning and soil carbon storage. *Paddy and Water Environment* 15: 221-236.
19. M Krauss, R Ruser, T Müller, S Hansen, P Mäder, et al. (2017) Impact of reduced tillage on greenhouse gas emissions and soil carbon stocks in an organic grass-clover ley - winter wheat cropping sequence. *Agriculture, Ecosystems & Environment* 239: 324-333.
20. P Smith, SJ Davis, F Creutzig, S Fuss, J Minx, et al. (2015) *Nature Climate Change* 6: 42-50.
21. S Choi, JH Drese, Ch W Jones (2009) Adsorbent Materials for Carbon Dioxide Capture from Large Anthropogenic Point Sources. *ChemSusChem* 2: 796-854.
22. J Wang, L Huang, R Yang, Z Zhang, J Wu, et al. (2014) Recent advances in solid sorbents for CO₂ capture and new development trends. *Energy Environ Sci.* 7(11): 3478-3518.
23. SI Garcés, J Villarroel Rocha, K Sapag, SA Korili, A Gil (2013) Comparative Study of the Adsorption Equilibrium of CO₂ on Microporous Commercial Materials at Low Pressures. *Ind Eng Chem Res* 52(20): 6785-6793.
24. SI Garcés Polo, J Villarroel Rocha, K Sapag, SA Korili, A Gil (2018) Adsorption of CO₂ on mixed oxides derived from hydrotalcites at several temperatures and high pressures. *Chem Eng J* 332: 24-32.
25. DMD Alessandro, B Smit, JR Long (2010) Carbon dioxide capture: prospects for new materials. *Angew Chem Int Ed* 49(35): 6058-6082.
26. M Olivares Marín, MM Maroto Valer (2012) Development of adsorbents for CO₂ capture from waste materials: a review. *Greenhouse Gases: Sci Technol* 2(1): 20-35.
27. M Ives, RC Mundy, PS Fennell, JF Davidson, JS Dennis, et al. (2008) Comparison of Different Natural Sorbents for Removing CO₂ from Combustion Gases, as Studied in a Bench-Scale Fluidized Bed. *Energy Fuels* 22(6): 3852-3857.
28. Y Li, C Liu, R Sun, H Liu, S Wu, et al. (2012) *Ind Eng Chem Res* 51: 16042-16048.
29. M Olivares Marin, TC Drage, MM Maroto Valer (2010) Novel lithium-based sorbents from fly ashes for CO₂ capture at high temperatures. *Int J Greenhouse Gas Control* 4(4): 623-629.
30. A Gil, E Arrieta, MA Vicente, SA Korili (2018) Synthesis and CO₂ adsorption properties of hydrotalcite-like compounds prepared from aluminum saline slag wastes. *Chem Eng J* 334: 1341-1350.
31. N Loganathan, GM Bowers, AO Yazaydin, HT Schaefer, JS Loring, et al. (2018) Clay Swelling in Dry Supercritical Carbon Dioxide: Effects of Interlayer Cations on the Structure, Dynamics, and Energetics of CO₂ Intercalation Probed by XRD, NMR, and GCMC Simulations. *The Journal of Physical Chemistry C* 122(8): 4391-4402.
32. J Dubois, E Grau, T Tassaing, M Dumon (2018) On the CO₂ sorption and swelling of elastomers by supercritical CO₂ as studied by in situ high pressure FTIR microscopy. *The Journal of Supercritical Fluids* 131: 150-156.
33. YM Kim, JL Sohn, ES Yoon (2017) Supercritical CO₂ Rankine cycles for waste heat recovery from gas turbine. *Energy* 118: 893-905.
34. J Wang, Z Wang, B Sun, Y Gao, X Wang, et al. (2019) *Fuel* 235: 795-809.
35. HA Martinez Correa, RG Bitencourt, ACA Kayano, PM Magalhães, FT Costa, et al. (2017) Integrated extraction process to obtain bioactive extracts of *Artemisia annua* L. leaves using supercritical CO₂, ethanol and water. *Industrial Crops and Products* 95(C): 535-542.
36. M Correa, MC Bombardelli, PD Fontana, F Bovo, IJ Messias Reason, et al. (2017) *The Journal of Supercritical Fluids* 122: 63-69.
37. AE Masunov, EE Wait, SS Vasu (2018) Molecular Dynamics Study of Combustion Reactions in Supercritical Environment. Part 3: Boxed MD Study of CH₃ + HO₂ → CH₃O + OH Reaction Kinetics. *The Journal of Physical Chemistry* 122(13): 6355-6359.
38. AP Ribeiro, LM Martins, EC Alegria, IA Matias, TA Duarte, et al. (2017) Catalytic Performance of Fe (II)-Scorpionate Complexes towards Cyclohexane Oxidation in Organic, Ionic Liquid and/or Supercritical CO₂ Media: A Comparative Study. *Catalysts* 7(8): 230-240.
39. SC Alcazar Alay, JF Osorio Tobón, T Forster Carneiro, CJ Steel, MA Meireles (2017) Polymer modification from semi-defatted annatto seeds using hot pressurized water and supercritical CO₂. *The Journal of Supercritical Fluids* 129: 48-55.
40. H Wakayama (2018) CaCO₃-Polymer Nanocomposite Prepared with Supercritical CO₂. *International Journal of Polymer Science* 2018: 1-6.
41. AF Alsharif, JM Irwan, N Othman, MM Zamer, LH Anneza (2017) In: Carbon Dioxide (CO₂) Sequestration in Bio-Concrete. An Overview: 05016.
42. A Ebrahimi, M Saffari, D Milani, A Montoya, M Valix, et al. (2017) Sustainable transformation of fly ash industrial waste into a construction cement blend via CO₂ carbonation. *Journal of Cleaner Production* 156: 660-669.
43. S Eloneva, S Teir, H Revitzer, J Salminen, A Said, et al. (2009) Reduction of CO₂ Emissions from steel plants by using steelmaking slags for production of marketable calcium carbonate. *Steel Research International* 80(6): 415-421.
44. MF Bertos, SJR Simons, CD Hills, PJ Carey (2004) A review of accelerated carbonation technology in the treatment of cement-based materials and sequestration of CO₂. *Journal of Hazardous Materials* 112(3): 193-205.
45. SC Kou, Bj Zhan, CS Poon (2014) Use of a CO₂ curing step to improve the properties of concrete prepared with recycled aggregates. *Cement and Concrete Composites* 45: 22-28.
46. M Aresta, A Dibenedetto, A Angelini (2013) Catalysis for the Valorization of Exhaust Carbon: from CO₂ to Chemicals, Materials, and Fuels. *Technological Use of CO₂*. *Chemical Reviews* 114(3): 1709-1742.
47. K Nakata, T Ozaki, C Terashima, A Fujishima, Y Einaga (2014) High-yield electrochemical production of formaldehyde from CO₂ and seawater. *Angewandte Chemie International Edition* 53(3): 871-874.
48. WJ Kruper, DD Dellar (1995) *The Journal of Organic Chemistry* 60: 725-727.
49. JM Hooker, AT Reibel, SM Hill, MJ Schueller, JS Fowler (2009) One-pot, direct incorporation of [11C] CO₂ into carbamates. *Angewandte Chemie International Edition* 48(19): 3482-3485.
50. DM Rudkevich, H Xu (2005) Carbon dioxide and supramolecular chemistry. *Chemical Communications* (21): 2651-2659.

51. B Hu, C Guild, SL Suib (2013) Thermal, electrochemical, and photochemical conversion of CO₂ to fuels and value-added products. *Journal of CO₂ Utilization* 18-27.
52. C Graves, SD Ebbesen, M Mogensen, KS Lackner (2011) Sustainable hydrocarbon fuels by recycling CO₂ and H₂O with renewable or nuclear energy. *Renewable and Sustainable Energy Reviews* 15(1): 1-23.
53. XM Liu, GQ Lu, ZF Yan, J Beltramini (2003) Recent advances in catalysts for methanol synthesis via hydrogenation of CO and CO₂. *Industrial & Engineering Chemistry Research* 42: 6518-6530.
54. LC Grabow, M Mavrikakis (2011) Mechanism of Methanol Synthesis on Cu through CO₂ and CO Hydrogenation. *ACS Catalysis* 1: 365-384.
55. F Frusteri, M Cordaro, C Cannilla, G Bonura (2015) Multifunctionality of Cu-ZnO-ZrO₂/H-ZSM5 catalysts for the one-step CO₂-to-DME hydrogenation reaction. *Applied Catalysis B: Environmental* 162: 57-65.
56. SP Naik, T Ryu, V Bui, JD Miller, NB Drinnan, et al., (2011) Synthesis of DME from CO₂/H₂ gas mixture. *Chemical Engineering Journal* 167(1): 362-368.
57. M Usman, WW Daud, HF Abbas (2015) Dry reforming of methane: Influence of process parameters-A review. *Renewable and Sustainable Energy Reviews* 45(C): 710-744.
58. JM Lavoie (2014) Review on dry reforming of methane, a potentially more environmentally-friendly approach to the increasing natural gas exploitation. *Frontiers in Chemistry* 2: 81.

ISSN: 2574-1241

DOI: [10.26717/BJSTR.2018.08.001724](https://doi.org/10.26717/BJSTR.2018.08.001724)

A Gil. Biomed J Sci & Tech Res



This work is licensed under Creative Commons Attribution 4.0 License

Submission Link: <https://biomedres.us/submit-manuscript.php>



Assets of Publishing with us

- Global archiving of articles
- Immediate, unrestricted online access
- Rigorous Peer Review Process
- Authors Retain Copyrights
- Unique DOI for all articles

<https://biomedres.us/>