

Lifestyle Issues and Prevention of Recurrent UTIs

Abdul Kader Mohiuddin*

Faculty of Pharmacy, Bangladesh

*Corresponding author: Abdul Kader Mohiuddin, Faculty of Pharmacy, WUB, Lake Drive Road Sector: Sector - 7, Uttara, Dhaka, Bangladesh



ARTICLE INFO

Received:  September 09, 2019

Published:  September 24, 2019

ABSTRACT

Citation: Abdul Kader Mohiuddin. Lifestyle Issues and Prevention of Recurrent UTIs. Biomed J Sci & Tech Res 21(3)-2019. BJSTR. MS.ID.003618.

Mini Review

UTI is one of the most prevalent diseases with diverse etiological agents annually affecting 250 million and causes death of 150 million people worldwide [1,2]. Adult women are 30 times more likely than men to develop a UTI [3]. Although the estimated mortality rate is generally lower than with RTIs, it may rise up to 26% if complicated with bacteremia or septic shock [4]. Financial burden of UTIs exceeds \$3.5 billion in US alone [5] whereas more than 50% of the antibiotics prescribed for a suspected UTI in older adults being considered unnecessary [6]. More interestingly, nosocomial UTIs account for nearly 40% of all hospital acquired infections [7] and around 50% of UTI in children are missed [8]. Recurrent UTIs (RUTIs) are mostly caused by frequent sexual intercourse, heterosexual lack of circumcision receptive anal intercourse (without a condom), multiple sexual partners (each sex partner shares his/her UGT microbiota with the other), use of spermicide and a new sexual partner, sexual intercourse with addicted partners, sexual intercourse with sex workers, sexual intercourse with online dating friends, sexual intercourse with a new sex partner within less than 2 months [9-20]. Traditional lifestyle factors such as fluid intake and diet are not considered independent risk factors now [15]. UTIs account for nearly 25% of all infections [16].

Sexual intercourse ≥ 3 times/week was associated with greater frequency of UTI [21]. Close proximity of the urethral meatus to the anus and shorter urethra, is a likely factor [22-26]. Many other factors have been thought to predispose women to RUTIs, such as voiding patterns pre- and post-coitus, wiping technique, wearing tight undergarments, deferred voiding habits and vaginal douching; nevertheless, there has been no proven association [16]. Although, genital hygiene practices such as frequency of coitus, urinating

after coitus, washing genitals precoitus, male partner washing genitals precoitus, washing genitals postcoitus, taking baths, frequent replacing of underwear, and washing genitals from front to back were associated with a reduced frequency of UTIs [21]. Low socioeconomic status, depression, anxiety, inadequate water intake, low educational status, anemia, catheterization, poor personal hygiene, poor access to condoms and other contraceptive devices, spermicide-coated condoms, poor access to qualified healthcare systems, high rate of family disruption, mental disorders are also risk factors [14,27-45]. Catheter-associated-UTIs are common in more than 80% of all ICU patients with indwelling catheter (more than 1 million such cases found in US) [46,47] and should be avoided unless there is medically necessity [48]. Dietary habits seem to be an important risk factor for UTI recurrence dietary guidance could be a first step toward prevention [42,43], [46-57].

After anemia, UTIs are the second common complications in pregnant women [58]. The overall prevalence of bacteriuria in pregnant women was reported to be as high as 40% [2,59-66] and up to up to 70% of pregnant women develop glycosuria which encourages bacterial growth in the urine [21]. Preventative measures such as drinking cranberry juice (urinary alkalization), OTC cystitis relief remedies or following certain hygiene behaviors, like wiping the genitals from front to back etc., were some of the measures that was suggested in different studies [5,15,16,21,67-74] and also opposed/proven not much effective by other studies [75,76]. However, UTI prevention is necessary as renal scarring [77], low birth weight, neonatal UTI, premature labor, preterm birth, hypertension, preeclampsia, septic shock, malformation or stillbirth, anorectal malformation and increased incidence of perinatal death are reported in several studies [2,21,58,60,61,78-

96]. Circumcision, glycemic control in diabetes, avoiding spicy food, certain dairy products, sweet fizzy drinks, alcohol found helpful in individuals susceptible to UTIs [97-102].

Acknowledgement

I'm thankful to Dr. Ana L. Flores-Mireles, Department of Molecular Microbiology and Center for Women's Infectious Disease Research, Washington University School of Medicine, Missouri, USA for her precious time to review my literature and thoughtful suggestions. Also, I'm also grateful to seminar library of Faculty of Pharmacy, University of Dhaka and BANSDOC Library, Bangladesh for providing me books, journal and newsletters.

Conflict of Interest

The author declares that he has no competing interests.

References

- Mama M, Manilal A, Gezmu T, Kidanewold A, Gosa F, et al. (2018) Prevalence and associated factors of urinary tract infections among diabetic patients in Arba Minch Hospital, Arba Minch province South Ethiopia. *Turkish journal of urology* 45(1): 56-62.
- Azami M, Jaafari Z, Masoumi M, Shohani M, Badfar G, et al. (2019) The etiology and prevalence of urinary tract infection and asymptomatic bacteriuria in pregnant women in Iran: a systematic review and Meta-analysis. *BMC urology* 19(1): 43.
- Brush JL (2018) Urinary Tract Infection (UTI) in Males.
- Shih WY, Chang CC, Tsou MT, Chan HL, Chen YJ, et al. (2019) Incidence and Risk Factors for Urinary Tract Infection in an Elder Home Care Population in Taiwan: A Retrospective Cohort Study. *International journal of environmental research and public health* 16(4): 566.
- Liska DJ, Kern HJ, Maki KC (2016) Cranberries and Urinary Tract Infections: How Can the Same Evidence Lead to Conflicting Advice? *Advances in nutrition (Bethesda, Md)* 7(3): 498-506.
- Gharbi M, Drysdale JH, Lishman H, Goudie R, Molokhia M, et al. (2019) Antibiotic management of urinary tract infection in elderly patients in primary care and its association with bloodstream infections and all-cause mortality: population-based cohort study. *BMJ (Clinical research ed)* 364: 525.
- Milovanovic T, Dumic I, Veličkovic J, Lalosevic MS, Nikolic V, et al. (2019) Epidemiology and risk factors for multi-drug resistant hospital-acquired urinary tract infection in patients with liver cirrhosis: single center experience in Serbia. *BMC infectious diseases* 19(1): 141.
- Shrestha LB, Baral R, Poudel P, Khanal B (2019) Clinical, etiological and antimicrobial susceptibility profile of pediatric urinary tract infections in a tertiary care hospital of Nepal. *BMC pediatrics* 19(1): 36.
- Abdul Kader Mohiuddin (2019) Alternative Management of Uncomplicated UTIs In Women. *J Urol Neph St* 2(2): 147-151.
- Vasilenko SA, Rice CE, Rosenberger JG (2018) Patterns of Sexual Behavior and Sexually Transmitted Infections in Young Men Who Have Sex with Men. *Sexually transmitted diseases* 45(6): 387-393.
- Owen BN, Elmes J, Silhol R, Dang Q, Mc Gowan I, et al. (2017) How common and frequent is heterosexual anal intercourse among South Africans? A systematic review and meta-analysis. *Journal of the International AIDS Society* 19(1): 21162.
- Budkaew J, Chumworathayi B, Pientong C, Ekalaksananan T (2019) Prevalence and factors associated with gonorrhoea infection with respect to anatomic distributions among men who have sex with men. *PloS one* 14(4): e0211682.
- D'Anna LH, Warner L, Margolis AD, Korosteleva OA, O'Donnell L, et al. (2015) Consistency of Condom Use During Receptive Anal Intercourse Among Women and Men Who Have Sex With Men: Findings From the Safe in the City Behavioral Study. *Sex Transm Dis* 42(7): 393-399.
- Behzadi P, Behzadi E, Pawlak Adamska EA (2019) Urinary tract infections (UTIs) or genital tract infections (GTIs)? It's the diagnostics that count. *GMS hygiene and infection control* 14: Doc 14.
- Jhang JF, Kuo HC (2017) Recent advances in recurrent urinary tract infection from pathogenesis and biomarkers to prevention. *Ci ji yi xue za zhi* 29(3): 131-137.
- Al Badr A, Al Shaikh G (2013) Recurrent Urinary Tract Infections Management in Women: A review. *Sultan Qaboos University medical journal* 13(3): 359-367.
- Boeri L, Capogrosso P, Ventimiglia E, Scano R, Graziottin A, et al. (2017) Six Out of Ten Women with Recurrent Urinary Tract Infections Complain of Distressful Sexual Dysfunction - A Case-Control Study. *Scientific reports* 7: 44380.
- Storme O, Tirán Saucedo J, Garcia Mora A, Dehesa Dávila M, Naber KG (2019) Risk factors and predisposing conditions for urinary tract infection. *Therapeutic advances in urology* 11: 1756287218814382.
- Maharjan G, Khadka P, Siddhi Shilpakar G, Chapagain G, Dhungana GR (2018) Catheter-Associated Urinary Tract Infection and Obsolete Biofilm Producers. *The Canadian journal of infectious diseases & medical microbiology* 7624857.
- Sutcliffe S, Jemielita T, Lai HH, Andriole GL, Bradley CS, et al. (2018) A Case-Crossover Study of Urological Chronic Pelvic Pain Syndrome Flare Triggers in the MAPP Research Network. *The Journal of urology* 199(5): 1245-1251.
- Badran YA, El Kashef TA, Abdelaziz AS, Ali MM (2015) Impact of genital hygiene and sexual activity on urinary tract infection during pregnancy. *Urology annals* 7(4): 478-481.
- Oladeinde BH, Omeregbe R, Olley M, Anunibe JA (2011) Urinary tract infection in a rural community of Nigeria. *North American journal of medical sciences* 3(2): 75-77.
- Najar MS, Saldanha CL, Banday KA (2009) Approach to urinary tract infections. *Indian journal of nephrology* 19(4): 129-139.
- Hickling DR, Sun TT, Wu XR (2015) Anatomy and Physiology of the Urinary Tract: Relation to Host Defense and Microbial Infection. *Microbiology spectrum* 3(4).
- Sumati AH, Saritha NK (2009) Association of urinary tract infection in women with bacterial vaginosis. *Journal of global infectious diseases* 1(2): 151-152.
- Minardi D, D'Anzeo G, Cantoro D, Conti A, Muzzonigro G (2011) Urinary tract infections in women: etiology and treatment options. *International journal of general medicine* 4: 333-343.
- Pete P, Biguioh RM, Izacar A, Adogaye S, Nguemo C (2019) Genital hygiene behaviors and practices: A cross-sectional descriptive study among antenatal care attendees. *Journal of public health in Africa* 10(1): 746.
- August SL, De Rosa MJ (2012) Evaluation of the prevalence of urinary tract infection in rural Panamanian women. *PloS one* 7(10): e47752.
- Renard J, Ballarini S, Mascarenhas T, Zahran M, Quimper E, et al. (2014) Recurrent Lower Urinary Tract Infections Have a Detrimental Effect on Patient Quality of Life: a Prospective, Observational Study. *Infectious diseases and therapy* 4(1): 125-135.
- Medina M, Castillo Pino E (2019) An introduction to the epidemiology and burden of urinary tract infections. *Therapeutic advances in urology* 11: 1756287219832172.
- Martin S, Vincent A, Taylor AW, Atlantis E, Jenkins A, et al. (2015) Lower Urinary Tract Symptoms, Depression, Anxiety and Systemic Inflammatory Factors in Men: A Population-Based Cohort Study. *PloS one* 10(10): e0137903.
- Sanford MT, Rodriguez LV (2017) The role of environmental stress on lower urinary tract symptoms. *Curr Opin Urol* 27(3): 268-273.

33. Emiru T, Beyene G, Tsegaye W, Melaku S (2013) Associated risk factors of urinary tract infection among pregnant women at Felege Hiwot Referral Hospital, Bahir Dar, North West Ethiopia. *BMC research notes* 6: 292.
34. Kabugo D, Kizito S, Ashok DD, Graham KA, Nabimba R, et al. (2016) Factors associated with community-acquired urinary tract infections among adults attending assessment centre, Mulago Hospital Uganda. *African health sciences* 16(4): 1131-1142.
35. Tewary K, Narchi H (2015) Recurrent urinary tract infections in children: Preventive interventions other than prophylactic antibiotics. *World journal of methodology* 5(2): 13-19.
36. Derese B, Kedir H, Teklemariam Z, Weldegebreal F, Balakrishnan S (2016) Bacterial profile of urinary tract infection and antimicrobial susceptibility pattern among pregnant women attending at Antenatal Clinic in Dil Chora Referral Hospital, Dire Dawa, Eastern Ethiopia. *Therapeutics and clinical risk management* 12: 251-260.
37. Fihn SD, Boyko EJ, Chen CL, Normand EH, Yarbrow P, et al. (1998) Use of spermicide-coated condoms and other risk factors for urinary tract infection caused by *Staphylococcus saprophyticus*. *Arch Intern Med* 158(3): 281-287.
38. Dienye PO, Gbeneol PK (2011) Contraception as a risk factor for urinary tract infection in Port Harcourt, Nigeria: A case control study. *African Journal of Primary Health Care & Family Medicine* 3(1): 207.
39. Sen A (2008) Recurrent cystitis in non-pregnant women. *BMJ clinical evidence* p. 0801.
40. Schmiemann G, Kniehl E, Gebhardt K, Matejczyk MM, Hummers Pradier E (2010) The diagnosis of urinary tract infection: a systematic review. *Deutsches Arzteblatt international* 107(21): 361-367.
41. Scholes D, Hooton TM, Roberts PL, Gupta K, Stapleton AE, et al. (2005) Risk factors associated with acute pyelonephritis in healthy women. *Annals of internal medicine* 142(1): 20-27.
42. Vyas S, Sharma P, Srivastava K, Nautiyal V, Shrotriya VP (2015) Role of Behavioural Risk Factors in Symptoms Related to UTI Among Nursing Students. *Journal of clinical and diagnostic research* 9(9): LC15-LC18.
43. Mishra B, Srivastava R, Agarwal J, Srivastava S, Pandey A (2016) Behavioral and Psychosocial Risk Factors Associated with First and Recurrent Cystitis in Indian Women: A Case-control Study. *Indian journal of community medicine* 41(1): 27-33.
44. Das P, Baker KK, Dutta A, Swain T, Sahoo S, et al. (2015) Menstrual Hygiene Practices, WASH Access and the Risk of Urogenital Infection in Women from Odisha, India. *PLoS one* 10(6): e0130777.
45. Haque M, Sartelli M, Mc Kimm J, Abu Bakar M (2018) Health care-associated infections - an overview. *Infection and drug resistance* 11: 2321-2333.
46. Assadi F (2018) Strategies for Preventing Catheter-associated Urinary Tract Infections. *International journal of preventive medicine* 9(1): 50.
47. Karishetti MS, Shaik HB (2019) Clinicomicrobial assessment of urinary tract infections in a tertiary care hospital. *Indian J Health Sci Biomed Res* 12(1): 69-74.
48. Saint S, Greene MT, Krein SL, Rogers MA, Ratz D, et al. (2016) A Program to Prevent Catheter-Associated Urinary Tract Infection in Acute Care. *N Engl J Med* 374(22): 2111-2119.
49. Tero Kontiokari, Jaana Laitinen, Leea Järvi, Tytti Pokka, Kaj Sundqvist, et al. (2003) Dietary factors protecting women from urinary tract infection. *The American Journal of Clinical Nutrition* 77(3): 600-604.
50. Foxman B, Frerichs RR (1985) Epidemiology of urinary tract infection: II Diet, clothing, and urination habits. *American journal of public health* 75(11): 1314-1317.
51. Nordstrom L, Liu CM, Price LB (2013) Foodborne urinary tract infections: a new paradigm for antimicrobial-resistant foodborne illness. *Frontiers in microbiology* 4: 29.
52. Manges AR, Smith SP, Lau BJ, Nuval CJ, Eisenberg JN, et al. (2007) Retail meat consumption and the acquisition of antimicrobial resistant *Escherichia coli* causing urinary tract infections: a case-control study. *Foodborne Pathog Dis* 4(4): 419-31.
53. Kontiokari T, Laitinen J, Järvi L, Pokka T, Sundqvist K, et al. (2003) Dietary factors protecting women from urinary tract infection. *Am J Clin Nutr* 77(3): 600-604.
54. Singer RS (2015) Urinary tract infections attributed to diverse ExPEC strains in food animals: evidence and data gaps. *Frontiers in microbiology* 6: 28.
55. Soraas A, Sundsfjord A, Sandven I, Brunborg C, Jenum PA (2013) Risk factors for community-acquired urinary tract infections caused by ESBL-producing enterobacteriaceae--a case-control study in a low prevalence country. *PLoS one* 8(7): e69581.
56. Kalas V, Hibbing ME, Maddirala AR, Chugani R, Pinkner JS, et al. (2018) Structure-based discovery of glycomimetic FmlH ligands as inhibitors of bacterial adhesion during urinary tract infection. *Proc Natl Acad Sci U S A* 115(12): E2819-E2828.
57. Gessese YA, Damessa DL, Amare MM, Bahta YH, Shifera AD, et al. (2017) Urinary pathogenic bacterial profile, antibiogram of isolates and associated risk factors among pregnant women in Ambo town, Central Ethiopia: a cross-sectional study. *Antimicrobial resistance and infection control* 6: 132.
58. Amiri M, Lavasani Z, Norouzrad R, Najibpour R, Mohamadpour M, et al. (2015) Prevalence of Urinary Tract Infection Among Pregnant Women and its Complications in Their Newborns During the Birth in the Hospitals of Dezful City, Iran, 2012 – 2013. *Iranian Red Crescent medical journal* 17(8): e26946.
59. Szweda H, Jóźwik M (2016) Urinary tract infections during pregnancy - an updated overview. *Dev Period Med* 20(4): 263-272.
60. Matuszkiewicz Rowińska J, Małyshko J, Wieliczko M (2015) Urinary tract infections in pregnancy: old and new unresolved diagnostic and therapeutic problems. *Archives of medical science: AMS* 11(1): 67-77.
61. Kalinderi K, Delkos D, Kalinderis M, Athanasiadis A, Kalogiannidis I (2018) Urinary tract infection during pregnancy: current concepts on a common multifaceted problem. *J Obstet Gynaecol* 38(4): 448-453.
62. Yan L, Jin Y, Hang H, Yan B (2018) The association between urinary tract infection during pregnancy and preeclampsia: A meta-analysis. *Medicine* 97(36): e12192.
63. Ghouri F, Hollywood A, Ryan K (2018) A systematic review of non-antibiotic measures for the prevention of urinary tract infections in pregnancy. *BMC pregnancy and childbirth* 18(1): 99.
64. Ailes EC, Summers AD, Tran EL, Gilboa SM, Arnold KE, et al. (2018) Antibiotics Dispensed to Privately Insured Pregnant Women with Urinary Tract Infections - United States 2014. *MMWR Morbidity and mortality weekly report* 67(1): 18-22.
65. Hamdan HZ, Ziad AH, Ali SK, Adam I (2011) Epidemiology of urinary tract infections and antibiotics sensitivity among pregnant women at Khartoum North Hospital. *Annals of clinical microbiology and antimicrobials* 10: 2.
66. Angelescu K, Nussbaumer Streit B, Sieben W, Scheibler F, Gartlehner G (2016) Benefits and harms of screening for and treatment of asymptomatic bacteriuria in pregnancy: a systematic review. *BMC pregnancy and childbirth* 16(1): 336.
67. Ghouri F, Hollywood A, Ryan K (2019) Urinary tract infections and antibiotic use in pregnancy - qualitative analysis of online forum content. *BMC pregnancy and childbirth* 19(1): 289.
68. Jepson RG, Williams G, Craig JC (2012) Cranberries for preventing urinary tract infections. *Cochrane Database Syst Rev* 10: CD001321.
69. Heitmann K, Nordeng H, Holst L (2013) Pregnancy outcome after use of cranberry in pregnancy--the Norwegian Mother and Child Cohort Study. *BMC complementary and alternative medicine* 13: 345.
70. Allan GM, Nicolle L (2013) Cranberry for preventing urinary tract infection. *Canadian family physician Medecin de famille canadien* 59(4): 367.

71. Hisano M, Bruschini H, Nicodemo AC, Srougi M (2012) Cranberries and lower urinary tract infection prevention. *Clinics (Sao Paulo, Brazil)* 67(6): 661-668.
72. Asma B, Vicky L, Stephanie D, Yves D, Amy H, et al. (2018) Standardised high dose versus low dose cranberry Proanthocyanidin extracts for the prevention of recurrent urinary tract infection in healthy women [PACCANN]: a double blind randomised controlled trial protocol. *BMC urology* 18(1): 29.
73. Beerepoot M, Geerlings S (2016) Non-Antibiotic Prophylaxis for Urinary Tract Infections. *Pathogens (Basel, Switzerland)* 5(2): 36.
74. Hickling DR, Nitti VW (2013) Management of recurrent urinary tract infections in healthy adult women. *Reviews in urology* 15(2): 41-48.
75. Abbo LM, Hooton TM (2014) Antimicrobial Stewardship and Urinary Tract Infections. *Antibiotics (Basel, Switzerland)* 3(2): 174-192.
76. Barbosa Cesnik C, Brown MB, Buxton M, Zhang L, De Busscher J, et al. (2011) Cranberry juice fails to prevent recurrent urinary tract infection: results from a randomized placebo-controlled trial. *Clinical infectious diseases* 52(1): 23-30.
77. Wang HH, Kurtz M, Logvinenko T, Nelson C (2019) Why Does Prevention of Recurrent Urinary Tract Infection not Result in Less Renal Scarring? A Deeper Dive into the RIVUR Trial. *J Urol* 202(2): 400-405.
78. Wingert A, Pillay J, Sebastianski M, Gates M, Featherstone R, et al. (2019) Asymptomatic bacteriuria in pregnancy: systematic reviews of screening and treatment effectiveness and patient preferences. *BMJ open* 9(3): e021347.
79. Khalesi N, Khosravi N, Jalali A, Amini L (2014) Evaluation of maternal urinary tract infection as a potential risk factor for neonatal urinary tract infection. *Journal of family & reproductive health* 8(2): 59-62.
80. Eliakim A, Dolfen T, Korzets Z, Wolach B, Pomeranz A (1997) Urinary tract infection in premature infants: the role of imaging studies and prophylactic therapy. *J Perinatol* 17(4): 305-308.
81. Gilbert NM, O'Brien VP, Hultgren S, Macones G, Lewis WG, et al. (2013) Urinary tract infection as a preventable cause of pregnancy complications: opportunities, challenges, and a global call to action. *Global advances in health and medicine* 2(5): 59-69.
82. Kaul AK, Khan S, Martens MG, Crosson JT, Lupo VR, et al. (1999) Experimental gestational pyelonephritis induces preterm births and low birth weights in C3H/HeJ mice. *Infection and immunity* 67(11): 5958-5966.
83. Jain V, Das V, Agarwal A, Pandey A (2013) Asymptomatic bacteriuria & obstetric outcome following treatment in early versus late pregnancy in north Indian women. *The Indian journal of medical research* 137(4): 753-758.
84. Dimetry SR, El Tokhy HM, Abdo NM, Ebrahim MA, Eissa M (2007) Urinary tract infection and adverse outcome of pregnancy. *J Egypt Public Health Assoc* 82(3-4): 203-218.
85. Mohseny AB, Van Velze V, Steggerda SJ, Smits Wintjens V, Bekker V, et al. (2018) Late-onset sepsis due to urinary tract infection in very preterm neonates is not uncommon. *European journal of pediatrics* 177(1): 33-38.
86. Leviton A, Allred EN, Kuban KC, O' Shea TM, Paneth N, et al. (2016) The Development of Extremely Preterm Infants Born to Women Who Had Genitourinary Infections During Pregnancy. *American journal of epidemiology* 183(1): 28-35.
87. Bauer S, Eliakim A, Pomeranz A, Regev R, Litmanovits I, et al. (2003) Urinary tract infection in very low birth weight preterm infants. *Pediatr Infect Dis J* 22(5): 426-430.
88. Verma I, Avasthi K, Berry V (2014) Urogenital infections as a risk factor for preterm labor: a hospital-based case-control study. *Journal of obstetrics and gynaecology of India* 64(4): 274-278.
89. Hosny AEMS, El Khayat W, Kashef MT, Fakhry MN (2017) Association between preterm labor and genitourinary tract infections caused by *Trichomonas vaginalis*, *Mycoplasma hominis*, Gram-negative bacilli, and coryneforms. *J Chin Med Assoc* 80(9): 575-581.
90. Kaduma J, Seni J, Chuma C, Kirita R, Mujuni F, et al. (2019) Urinary Tract Infections and Preeclampsia among Pregnant Women Attending Two Hospitals in Mwanza City, Tanzania: A 1:2 Matched Case-Control Study. *Bio Med research international*.
91. Easter SR, Cantonwine DE, Zera CA, Lim KH, Parry SI, et al. (2016) Urinary tract infection during pregnancy, angiogenic factor profiles, and risk of preeclampsia. *Am J Obstet Gynecol* 214(3): 387e1-387e7.
92. Karmon A, Sheiner E (2008) The relationship between urinary tract infection during pregnancy and preeclampsia: causal, confounded or spurious? *Arch Gynecol Obstet* 277(6): 479-481.
93. Edefonti A, Tel F, Testa S, De Palma D (2014) Febrile urinary tract infections: clinical and laboratory diagnosis, imaging, and prognosis. *Semin Nucl Med* 44(2): 123-128.
94. Vachvanichsanong P (2007) Urinary tract infection: one lingering effect of childhood kidney diseases--review of the literature. *J Nephrol* 20(1): 21-28.
95. Bánhidly F, Acs N, Puhó EH, Czeizel AE (2006) Maternal urinary tract infection and related drug treatments during pregnancy and risk of congenital abnormalities in the offspring. *BJOG* 113(12): 1465-1471.
96. Sanchez S, Ricca R, Joyner B, Waldhausen JH (2014) Vesicoureteral reflux and febrile urinary tract infections in anorectal malformations: a retrospective review. *J Pediatr Surg* 49(1): 91-94.
97. Eisenberg ML, Galusha D, Kennedy WA, Cullen MR (2018) The Relationship between Neonatal Circumcision, Urinary Tract Infection, and Health. *The world journal of men's health* 36(3): 176-182.
98. Odoki M, Almustapha Aliero A, Tibyangye J, Nyabayo Maniga J, Wampande E, et al. (2019) Prevalence of Bacterial Urinary Tract Infections and Associated Factors among Patients Attending Hospitals in Bushenyi District, Uganda. *International journal of microbiology*.
99. Nitzan O, Elias M, Chazan B, Saliba W (2015) Urinary tract infections in patients with type 2 diabetes mellitus: review of prevalence, diagnosis, and management. *Diabetes, metabolic syndrome and obesity* 8: 129-136.
100. Bharti A, Chawla S, Kumar S, Kaur S, Sooin D, et al. (2019) Asymptomatic bacteriuria among the patients of type 2 diabetes mellitus. *Journal of family medicine and primary care* 8(2): 539-543.
101. Flower A, Bishop FL, Lewith G (2014) How women manage recurrent urinary tract infections: an analysis of postings on a popular web forum. *BMC family practice* 15: 162.
102. Oaklander M (2015) Your Diet May Be Causing Your Urinary Tract Infections *Time Magazine*.

ISSN: 2574-1241

DOI: 10.26717/BJSTR.2019.21.003618

Abdul Kader Mohiuddin. Biomed J Sci & Tech Res



This work is licensed under Creative Commons Attribution 4.0 License

Submission Link: <https://biomedres.us/submit-manuscript.php>



Assets of Publishing with us

- Global archiving of articles
- Immediate, unrestricted online access
- Rigorous Peer Review Process
- Authors Retain Copyrights
- Unique DOI for all articles

<https://biomedres.us/>